















ACCESSORIES

HEAT SINK



<p>Appearance</p> 	<p>Size</p> <p>Size: 60mm×50mm</p> 	<p>Suitable Specification</p> <table border="1"> <thead> <tr> <th>Model No</th> <th>Length L(mm)</th> <th>Suitable SSR</th> </tr> </thead> <tbody> <tr> <td>KH050-50</td> <td>50</td> <td>5A, 10A</td> </tr> </tbody> </table>	Model No	Length L(mm)	Suitable SSR	KH050-50	50	5A, 10A	<p>Appearance</p> <p>KD</p> 	<p>Size</p> <p>Size: 81mm×81mm</p> 	<p>Suitable Specification</p> <table border="1"> <thead> <tr> <th>Model No</th> <th>Length L(mm)</th> <th>Suitable SSR</th> </tr> </thead> <tbody> <tr> <td>KH100-45</td> <td>45</td> <td>40A</td> </tr> <tr> <td>KH100-70</td> <td>70</td> <td>50A</td> </tr> <tr> <td>KH100-100</td> <td>100</td> <td>75A</td> </tr> <tr> <td>KH100-120</td> <td>120</td> <td>90A</td> </tr> <tr> <td>KH100-150</td> <td>150</td> <td>100A, 125A</td> </tr> </tbody> </table>	Model No	Length L(mm)	Suitable SSR	KH100-45	45	40A	KH100-70	70	50A	KH100-100	100	75A	KH100-120	120	90A	KH100-150	150	100A, 125A									
Model No	Length L(mm)	Suitable SSR																																				
KH050-50	50	5A, 10A																																				
Model No	Length L(mm)	Suitable SSR																																				
KH100-45	45	40A																																				
KH100-70	70	50A																																				
KH100-100	100	75A																																				
KH100-120	120	90A																																				
KH100-150	150	100A, 125A																																				
	<p>Size: 60mm×50mm</p> 	<table border="1"> <thead> <tr> <th>Model No</th> <th>Length L(mm)</th> <th>Suitable SSR</th> </tr> </thead> <tbody> <tr> <td>KH060-50</td> <td>50</td> <td>10A, 15A</td> </tr> <tr> <td>KH060-80</td> <td>80</td> <td>25A</td> </tr> <tr> <td>KH060-100</td> <td>100</td> <td>40A</td> </tr> <tr> <td>KH060-120</td> <td>120</td> <td>50A</td> </tr> <tr> <td>KH060-150</td> <td>150</td> <td>75A</td> </tr> </tbody> </table>	Model No	Length L(mm)	Suitable SSR	KH060-50	50	10A, 15A	KH060-80	80	25A	KH060-100	100	40A	KH060-120	120	50A	KH060-150	150	75A	<p>Appearance</p> <p>KL</p> 	<p>Size: 81mm×81mm</p> 	<p>KH104 Series FOR 3 PHASE SSR</p> <table border="1"> <thead> <tr> <th>Model No</th> <th>Length L(mm)</th> <th>Suitable SSR</th> </tr> </thead> <tbody> <tr> <td>KH104-104</td> <td>104</td> <td>25A, 40A</td> </tr> <tr> <td>KH104-120</td> <td>120</td> <td>50A</td> </tr> <tr> <td>KH104-150</td> <td>150</td> <td>75A</td> </tr> <tr> <td>KH104-200</td> <td>200</td> <td>90A, 100A, 125A</td> </tr> </tbody> </table> <p>Note: It will depend on condition of discharge heat to add Fan to cool down forcibly.</p>	Model No	Length L(mm)	Suitable SSR	KH104-104	104	25A, 40A	KH104-120	120	50A	KH104-150	150	75A	KH104-200	200	90A, 100A, 125A
Model No	Length L(mm)	Suitable SSR																																				
KH060-50	50	10A, 15A																																				
KH060-80	80	25A																																				
KH060-100	100	40A																																				
KH060-120	120	50A																																				
KH060-150	150	75A																																				
Model No	Length L(mm)	Suitable SSR																																				
KH104-104	104	25A, 40A																																				
KH104-120	120	50A																																				
KH104-150	150	75A																																				
KH104-200	200	90A, 100A, 125A																																				
	<p>Size: 70mm×70mm</p> 	<table border="1"> <thead> <tr> <th>Model No</th> <th>Length L(mm)</th> <th>Suitable SSR</th> </tr> </thead> <tbody> <tr> <td>KH080-50</td> <td>50</td> <td>25A</td> </tr> <tr> <td>KH080-100</td> <td>100</td> <td>40A</td> </tr> <tr> <td>KH080-150</td> <td>150</td> <td>50A</td> </tr> </tbody> </table>	Model No	Length L(mm)	Suitable SSR	KH080-50	50	25A	KH080-100	100	40A	KH080-150	150	50A	<p>Appearance</p> <p>KV</p> 	<p>Size: 158mm×35mm</p> 	<p>KH197 Series FOR 3 PHASE SSR</p> <table border="1"> <thead> <tr> <th>Model No</th> <th>Length L(mm)</th> <th>Suitable SSR</th> </tr> </thead> <tbody> <tr> <td>KH197-100</td> <td>100</td> <td>25A, 40A</td> </tr> </tbody> </table>	Model No	Length L(mm)	Suitable SSR	KH197-100	100	25A, 40A															
Model No	Length L(mm)	Suitable SSR																																				
KH080-50	50	25A																																				
KH080-100	100	40A																																				
KH080-150	150	50A																																				
Model No	Length L(mm)	Suitable SSR																																				
KH197-100	100	25A, 40A																																				
 <p>Size: 104mm X 80mm</p> 			<table border="1"> <thead> <tr> <th>Model No</th> <th>Length L(mm)</th> <th>Suitable SSR</th> </tr> </thead> <tbody> <tr> <td>KH120-80</td> <td>80</td> <td>25A, 40A</td> </tr> <tr> <td>KH120-100</td> <td>100</td> <td>50A</td> </tr> <tr> <td>KH120-120</td> <td>120</td> <td>75A</td> </tr> <tr> <td>KH120-150</td> <td>150</td> <td>90A, 100A, 125A</td> </tr> </tbody> </table>			Model No	Length L(mm)	Suitable SSR	KH120-80	80	25A, 40A	KH120-100	100	50A	KH120-120	120	75A	KH120-150	150	90A, 100A, 125A																		
Model No	Length L(mm)	Suitable SSR																																				
KH120-80	80	25A, 40A																																				
KH120-100	100	50A																																				
KH120-120	120	75A																																				
KH120-150	150	90A, 100A, 125A																																				

Note: The good environment that this product needs to be used for dispersion the heat, there are special-purpose HEAT SINK in our company, quality is excellent, for the customer to select for use.

SAFETY COVER



RAIL



AUTHORIZED DISTRIBUTOR:

